



## 2002 DoD Survey of Health-Related Behaviors among Military Personnel

March 8, 2004

Robert Bray, PhD RTI International



## Survey Facts




- Largest population-based health behavior survey of U.S. active-duty personnel
- Survey conducted approximately every 3 years since 1980
- Random selection of personnel located at 30 military installations worldwide in 2002
- Anonymous reporting of health behaviors and preventive medicine practices
- Over 12,500 respondents in 2002



## Substance Use Trends Total DoD, Past 30 Days








## Other Tobacco Use, Total DoD







## Military/Civilian Comparisons of Substance Use



- Heavy alcohol use: higher among military
  - Military 18–25 had higher rates (27 vs.15%)
  - Military 26+ had similar rates (9 vs. 8%)
- Illicit drug use: lower among military
  - -3 vs.12%
  - Similar pattern across gender/age/Service strata
- Cigarette use: similar in military and civilians
  - **-~31%**



### Healthy People 2000



#### - HP objectives that were met:

 strenuous exercise, seat belt use, helmet use, pap smears, and no alcohol use during pregnancy


#### – HP objectives not met:

 overweight; tobacco use; binge drinking; injury hospitalizations; hypertension control; cholesterol checks; condom use



## Trends in Strenuous Exercise 1995–2002






<sup>\*</sup>The *Healthy People* 2000 objective is =20%.

\*\*The *Healthy People* 2010 objective is =30%.



### Overweight Trends HP 2000 Guidelines








# Pap Smear, Received Past 3 Years, 1995—2002






<sup>\*</sup>The *Healthy People* 2000 objective is =85%.

\*\*The *Healthy People* 2010 objective is =90%.



# Hospitalization for Injuries, Past Year, 1995–2002








## High Levels of Stress, Past Year, Total DoD







## Sources of Stress, Past Year, Total DoD



Stressor	Men (%)	Women (%)
Being away from family	18.7	21.2
Deployment	18.9	19.6
Changes in personal life	13.1	21.4*
Increases in work load	14.7	17.0
Conflicts between military and family responsibilities	11.6	14.8*
Problem with co-workers	10.1	14.9*
Problems with supervisor	10.8	13.9*
Having a PCS	9.5	13.7*
Problems with money	10.3	12.0

<sup>\*</sup>Difference between men and women significant at 95% confidence level.

# Behaviors for Coping with Stress, by Gender, Total DoD



Coping Behavior	Men (%)	Women (%)
Think of plan to solve problem	82.3	86.7
Talk to friend/family member	72.5	87.6
Exercise or play sports	61.0	60.1
Engage in a hobby	60.5	57.0
Say a prayer	49.5	71.0
Have a drink	25.9	20.8
Get something to eat	39.9	51.1